

FIG. 2A

RF SIGNAL WAVEFORM NEAR LPP




FIG. 2B





FIG. 2C






FIG. 4

RF VARIATION AMOUNT VS PI ERROR





FIG. 5



.

FIG. 6




FIG. 7

POSITIONAL RELATIONSHIP BETWEEN LIGHT BEAM RADIATION AREA AND OUTSIDE LPP




FIG. 8A

TRACKING OFFSET VALUE (-0.086 μ m)





FIG.8B

TRACKING OFFSET VALUE $(0\mu m)$



122 PI ERRORS

FIG.8C

TRACKING OFFSET VALUE (+0.086 μ m)




FIG. 9

POSITIONAL RELATIONSHIP BETWEEN LIGHT BEAM RADIATION AREA AND OUTSIDE LPP




FIG.10A

TRACKING OFFSET VALUE (-0.086 μm)




FIG.10B

TRACKING OFFSET VALUE (0 μm)




FIG.10C

TRACKING OFFSET VALUE (+0.086 μm)




FIG.11





FIG.12






FIG.14




FIG. 15





FIG. 16








FIG.18

TRACKING OFFSET VALUE (μm)	DATA ERROR NUMBER (NUMBER OF ERRORS)		
	OUTSIDE LPP	INSIDE LPP	TOTAL
-0.08	0	47	47
-0.07	0	38	38
-0.06	0	30	30
-0.05	0	23	23
-0.04	0	17	17
-0.03	0	12	12
-0.02	0	8	8
-0.01	0	5	5
0.00	0	. 3	3
0.01	0	2	2
0.02	1	1	2
0.03	2	0	2
0.04	3	0	3
0.05	5	0	5
0.06	8	0	8
0.07	12	0	12








FIG. 20




FIG. 21






FIG. 22

TRACKING OFFSET VALUE (μm)	DATA ERROR NUMBER (NUMBER OF ERRORS)			
	OUTSIDE LPP	INSIDE LPP	TOTAL	
-0.08	45	15	60	
-0.07	36	10	46	
-0.06	28	6	34	
-0.05	21	3	24	
-0.04	15	1	16	
-0.03	10	0	10	
-0.02	6	0	6	
-0.01	3	0	3	
0.00	1	. 0	1	
0.01	0	0	0	
0.02	0	0	0	
0.03	0	0	0	
0.04	1	0	1	
0.05	3	0	3	
0.06	6	0	6	
0.07	10	0	10	








FIG. 24




FIG. 25

